

# Medioval Cream-Ointment



## Composition:

Each gram of MEDIOVAL (Cream/Ointment) contains 0.5mg Clobetasol Propionate.

## Properties:

Clobetasol is a potent topical corticosteroid which is effective because of its anti-inflammatory, antipruritic and vasoconstrictive actions.

## Indications:

MEDIOVAL is used in a short courses for the relief of the inflammatory and pruritic manifestation of severes and moderate dermatoses that are not responding to other corticosteroids such as: psoriasis, eczema including (nummular eczema and hand eczema) lichen planum, discoid lupus erythematosus, all kinds of dermatitis (atopic, seborrhoeis, solar, neurocontactdermatitis, and static).

## Contraindications:

- Hypersensitivity to clobetasol or other corticosteroids.
- Viral infections.

## Cautions:

- MEDIOVAL is not for ophthalmic use.
- In the presence of an infection, an appropriate antifungal or antibacterial agent should be administered.
- The weekly dosage should not exceed 50 g.
- If irritation or hypersensitivity develops, drug should be discontinued and appropriate therapy instituted.
- When treating under occlusion the skin should always be cleaned before a new dressing is applied.
- The side effects of the systemic absorption of topical application of corticosteroids may be seen if the patient receives a large dose applied to a large surfaces or for prolonged times, or if the patient was a baby or a child.
- This medication should not be used extensively in pregnant patients or nursing mothers in large amounts, or for prolonged periods of time.

## Side effects:

Irritation, hypertrichosis, burning, itching, acne-form eruptions, hypopigmentation, and atrophic changes such as striae.

## Dosage & administration:

Apply a thin layer of MEDIOVAL to the affected skin areas once or twice daily.

## Storage:

Store at temperature between (15-30)°C.

## Presentation:

- Aluminum tube contains 30g MEDIOVAL Ointment.
- Aluminum tube contains 50g MEDIOVAL Cream.

## \* THIS IS A MEDICAMENT \*

Keep out of reach of children.  
An over-the-counter drug which affects your health, and its consumption contrary to instructions is dangerous for you.  
Follow strictly doctor's prescriptions, the method of use and instructions of the pharmacist who sold the medicament.  
The doctor and pharmacist are experts in medicine, its benefits and risks.  
Do not by yourself interrupt the period of treatment prescribed for you.  
Do not repeat the same prescription without consulting your doctor.

( Council of Arab Ministers )

( Union of Arab Pharmacists )

Mediotic Labs Pharmaceutical Industries

www.mediotic.com - Homs - SYRIA - Tel: 2222160



# ميديوفال كريم - مرهم

## التركيب :

كل غرام ميديوفال ( كريم / مرهم ) يحتوي ٥ ملجم من كلوبيتازول بربونات .

## الغواص :

الكلوبيتازول ستيرويد قشرى موضعى ، مضادة للالتهاب و مضادة للحكة و مضيق للأوعية .

## الاستطبابات :

يُستعمل ميديوفال للمعالجة القصيرة الأمد للتخلص من مظاهر الالتهابات و الحكة في الحالات الشديدة و المتوسطة ، التي لا تستجيب للستيرويدات الفشرية الأخرى مثل: الصدف ، الأكزيما بأنواعها (الأكزيما التinea ، أكزيما اليدين) ، التهاب الحمامي الفرجواي ، التهاب الجلد على اختلاف أنواعه (التانيني ، المثني ، الشمسي ، العصبي التنساسي ، الركودي) .

## مضادات الاستطباب :

- فرط التحسس للكلوبيتازول أو المركبات الستيرويدية الأخرى .
- الأاخما الحمومية ( الفيروسية ) .

## التحذيرات :

- يجب عدم تطبيق ميديوفال على العين .
- عند وجود أحماق جرثومية أو فطرية يجب تطبيق المعالجة المناسبة .
- يجب لا تتجاوز الكمية المطبقة ٥٠ غرام في الأسبوع .
- في حال تطور فرط حساسية ، يجب إيقاف الدواء و استشارة الطبيب .
- عند استعمال ضماد يجب تنظيف الجلد جيداً قبل التغطية .

في حال استعمال ميديوفال على مساحة واسعة أو لفترة طويلة و بكثرة كبيرة أو عند الأطفال قد تظهر التأثيرات الجانبية لاستعمال الجهازي للستيرويدات الفشرية .

يجب عدم استخدام ميديوفال بشكل مفرط عند الஹول أو المرضعات بكثرة و لفترات طويلة .

فيبيج ، فرط اشعار ، حس حرق أو حك ، طفح عدية الشكل ، نقص تصبغ ، تغيرات ضمورية كالالثام (السطور) .

**الجرعة و طريقة الاستعمال :**  
تدهن طبقة رقيقة من ميديوفال للتغطية المنطقة المصابة مرة أو مرتين يومياً .

**الحفظ :**  
يحفظ بدرجة حرارة ( ١٥ - ٣٠ )°C .

**الفعيلة :**  
تبوب المنيوم سعة ٣٠ غ ميديوفال مرهم .

تبوب المنيوم سعة ٥٠ غ ميديوفال كريم .

0745 Ed03 12/2016

## \* هذا دواء \*

- لا تترك الأدوية في متناول أيدي الأطفال .

- اتّبِع بدقة وصفة الطبيب و طريقة الاستعمال المنشورة على علبة و تعليمات الصيدلي الذي صرحته لك .

- الطبيب والصيدلي هما مخبران بالدرا و يوشعه و ضرورة .

- لا تلتفت من الملاجع الحمومية لكونها من المنشورة .

- لا تذكر حرق الدواء من دون وصفة طبية .

( مجلس وزراء الصحة العرب )

# مختبرات ميديوفال للصناعات الدوائية

ص.ب. ٤١٤ - حمص - سوريا - هاتف: ٢٢٢٢١٦٠